

Blade guard attachment				
Mechanical 360° Guard.	Class II Class III	769816 769817		
An inexpensive way to minimize the risk of operator injury, this blade guard attaches easily to any Performance Series, C Series, or other knifeholders while maintaining existing minimum slit widths.	Class I Class II Class III	659075 659076 659077		
Razor Guard	Class I Class II	270032 210 789320		

Blade cartridges with knife blades for shear slitting						
Change blades in seconds with complete cartridge replacement assemblies.						
Cla			Class II	Class III		
	Performance Series Manual	551430	131061	132872		
	Performance Series Automatic	547613	524508	535264		
	PS Automatic with high side force (up to 20 lbs)	n/a	n/a	650453		
	e-Knifeholder (with keypad)	n/a	749142	753161		
	e-Knifeholder (with function control knob)	n/a	696317	700518		
Upgrade	Upgrade your safety factor with the 360 Degree Blade Guard cartridge kits.					
	PS Manual with 360 Degree Blade Guard	n/a	770467	770468		
	PS Automatic with 360 Degree Blade Guard	718312	766914	766916		
	e-Knifeholder (with function control knob)	n/a	771799	771800		



Knife blades			
	Class I	Class II	Class III
90mm OD x 60mm ID, D-2	131937	N/A	N/A
90mm OD x 60mm ID x 6mm, D-2	131972	N/A	N/A
90mm OD x 60mm ID, D-2 (45°) - Crush	129835	N/A	N/A
150mm OD x 80mm ID, 52-100 (25°)	N/A	128216	N/A
150mm OD x 80mm ID, D-2 (25°)	N/A	128401	N/A
150mm OD x 80mm ID, D-2 super finish (45°)	N/A	133399	N/A
150mm OD x 80mm ID x 10mm, D-2 (5°)	N/A	131973	N/A
150mm OD x 80mm ID, D-2 (45°) - Crush	N/A	129839	N/A
200mm OD x 80mm ID, 52-100 (25°)	N/A	N/A	129832
200mm OD x 80mm ID, D-2 (25°)	N/A	N/A	129833
200mm OD x 80mm ID, D-2 super finish (45°)	N/A	N/A	133389
200mm OD x 80mm ID, Powdered Metal	N/A	N/A	501835
200mm OD x 80mm ID, D-2 (45°) - Crush	N/A	N/A	129876

Stainless steel protective gloves

Woven metal fibers provide protection from slicing-type hazards.

132084



Bench fixture

Mount the Tidland bench fixture at any angle to make safe and easy blade changes.

Performance Series		e-Knifeholder		Seri	es C
Class I	772398	Class II	731404	Class I	772399
Class II	772400	Class III	772401		
Class III	772402				






Overlap gauge

Achieve desired blade overlap every time with these gauge options.

Fit this gauge between the knife blade and the anvil ring to set the depth.



Class II 765942



Our modified 4" calipers make it easy to access and measure the chord.



Call for p/n



Dust removal system

Snap this hood onto your Class III blade cartridge and attach your vacuum system to reduce dust build-up at the knifeholder.

Class II 726187




Vacuum Cover attachment			
Available on new knifeholders. Specify when ordering.			
Performance Series Automatic Flip-up Design	898946		
Performance Series Automatic Clip-on Design	270033809		
Performance Series Automatic Clip-on or Flip-up Design	Sold as Knifeholder Assembly		



Linear bearing installer

This short piece of linear rail is shipped with every *Easy* Glider linear bearing mount. It is required for proper installation of the knifeholder onto the guide bar.

Class II (1.2") 667628 Class II (1.8") 775669 Class III (2.8") 773657



Wick tubes

Prevent sticky build-up on your blades or keep them lubricated for special slitting applications. Available for all knifeholder types, this option can be customized with round or square tubes and felt wick material.



Tube Shape	End Shape	Position	Mount Angle
Round	Flat	Left/Single	0°
Square	45°	Right/Single	10°
Square	45°	Both/Dual	17°
Square	45°	Both/Dual	20°
Square	45°	Both/Dual	40°
Square	45°	Both/Dual	45°

Coalescing filter/air regulator kit			
The Coalescing Filter/Air Regulator fits between plant air supply and slitting system air manifolds or brakes.	Single valve Dual valve Dual filter	520984 520985 559913	